

Quotation

Mercedes-Benz V 300 d extra-lung EXCLUSIVE



This image might differ from your individual vehicle configuration and is therefore non-committal. Subject to alteration!

Angebotsname: V 300 d extra-lung EXCLUSIVE_Tiriac Auto - 2024_70304

		C I
	Mercedes-Benz V-C	Llass
	V 300 d extra-lung	EXCLUSIVE
	AWD	
	174 kW (237 PS)	pe partea stăngă
	3430 mm	
3200 kg		
pe partea stăngă		
	3	AWD 174 kW (237 PS) 3430 mm 3200 kg



Information about fuel consumption, CO2-emissions and energy efficiency

Fuel consumption in urban area (city centre (Low, Phase 1)):	WLTP] ⁵⁾ : 11.1 l/100km
Fuel consumption in city outskirts (Medium, Phase 2): [WLTP] 5):	8.4 l/100km
Fuel consumption on country road (High, Phase 3): [WLTP] 5):	7.1 l/100km
Fuel consumption on motorway (Extra High, Phase 4): [WLTP] 5:	8.1 l/100km
Fuel consumption, combined: [WLTP] 5:	8.2 l/100km
CO ₂ emissions, combined: [WLTP] ⁵):	216 g/km
5) in progress	

5) in progress



Equipmentlist

Paint		
		Amount in EUR
MB 7831	graphite grey metallic	
Equip	nent	Amount in EUR
	ckages and special models	
	EXCLUSIVE	Standard
* DUP0	Base Duplicate Code 0	Standard
Packages	5	
CU4	Aerodynamics package	Standard
F2W	Winter package	Standard
FP3	Mirror package	Standard
JB6	Parking package with 360° camera	Standard
JHO	Widescreen Cockpit	Standard
MX0	BlueEFFICIENCY package	Standard
P28	EASY PACK Package - electr. Sliding door/Tailgate	Standard
PY0 W68	Exclusive Interior Design Package EASY-PACK tailgate	Standard Standard
Upholste		Standard
VY7	Leather nappa, black	Standard
Trim eler F3T Rims	nents Wood-look trim, open-pore	
R19	8 J x 19 light-alloy wheels, Monobloc design	Standard
Tyres		
RK1	Tyres 245/45 R19	Standard
RD9	Tyres without name of make	Standard
	Comfort tyres	Standard
RM7	Summer tyres	Standard
RR6	Spare wheel with jack	167.00
RY2	Tyre pressure monitoring front/rear, wireless	Standard
	transmission and drive system	Chanalan-I
G43	Engine OM 654 DE 20 LA power stage 5 Top Type 9G-TRONIC	Standard Standard
 ZG2	All-wheel drive, permanent	3,502.00
A50	Front axle with upgraded axle load	
	Final Drive i = 2,733	Standard
BB7	CO2-optimised braking system	Standard



IOLD function	Standard
AIRMATIC	1,953.00
ill, exterior	Standard
Veight variant 3.200 kg	
Baterie AGM 12 V 92 Ah	Standard
th generation SCR emission control system	Standard
ouction-type fan, electric, power stage 5	Standard
Alternator 14 V / 250 A	Standard
Alternatormanagement	Standard
missions category Euro 6e RDE5 M/N1 GR. II	Standard
	AIRMATIC iill, exterior Veight variant 3.200 kg Baterie AGM 12 V 92 Ah ith generation SCR emission control system Suction-type fan, electric, power stage 5 Alternator 14 V / 250 A Alternatormanagement

Exterior

Roof rails Heat-insulating glass all round Panelling under roof
Panelling under roof
~
6 Window front left, fixed, in sidewall/sliding door
7 Window front right, fixed, in sidew./sliding door
9 Window fixed behind
4 Separately opening rear window
O Shaded glass in rear, black glass
Sliding door left
Electrical operation of sliding door, right
Electrical operation of sliding door, left
2 Bumpers/detachable body parts painted body colour
AMG spoiler lip on boot lid
Radiator grille with LED lightband
Radiator grille with horizontal slats
Incorrect fuelling protection system
Main tank 70 litres
Projection of brand logo
Active retainer for sliding door

Interior

SA1	Seat cushion length adjustment, driver	Standard
SA2	Seat cushion length adjustment, co-driver	Standard
SE0	Active seat ventilation for driver	578.00
SE1	Active seat ventilation for co-driver	578.00
SF1	Driver's seat electrically adjustable	Standard
SF2	Co-driver's seat electrically adjustable	Standard
U90	Luxury seat, 1st row on left	3,730.00
U91	Luxury seat, 1st row on right	3,730.00
UR1	Seat rail system with quick-locking	Standard
US5	3-seater comfort bench 2nd row w. folding outer	
seat	-,	
H00	Hot-air duct to passenger compartment	Standard
H05	Climatised rear seats	
H15	Seat heating for co-driver	Standard
H16	Heated seat for driver	Standard
HH4	THERMOTRONIC automatic climate control	Standard
HZ0	Electrical auxiliary heating	Standard



HZ7	Air con., semi-autom., TEMPMATIC in rear	Standard
VZ0	Anchoring lugs for seat rails, removable	Standard
F66	Locking glove compartment	Standard
FG0	Centre console with sliding cover	Standard
FG9	Detachable cup holders in rear armrests	Standard
SZ6	Table & illuminated trim elements on seat backrest	Standard
V62	Stowage nets on individual seat backrests in rear	Standard
C74	Mercedes-Benz lettering at entrance, illuminated	Standard
CL1	Height and rake adjustable steering wheel	Standard
CL3	Leather steering wheel	Standard
F84	Digital rear-view mirror	Standard
FH6	Dashboard in leather look with stitching	Standard
JP1	PRE-SAFE	Standard
LC4	Comfort overhead control panel	Standard
LE3	Ambience lighting 64 colours cockpit + rear	Standard
SE4	Lumbar support, co-driver's seat	Standard
SE5	Lumbar support, driver's seat	Standard
T74	Handle for entrance	Standard
U89	Footrest, 1st row	
V33	Carpet in the rear	Standard
V44	Carpet in interior at front	Standard
VD7	Roof liner black	Standard
VH1	Grab handles in rear	Standard
VL2	Velour floor mats	51.00

Infotainment

E7M	MBUX multimedia system	Standard
502	Intelligent Speed Assistant updates	Standard
E1D	Digital radio (DAB)	Standard
E1E	Navigation	Standard
E1T	Touchpad	Standard
E4S	Smartphone Integration package	Standard
E65	Burmester surround sound system	Standard
EW6	Pre-installation: Remote Services Plus	Standard

Connectivity Solutions

EY2	Pre-installation: Live Traffic Information	Standard
EY5	Mercedes-Benz emergency call system	Standard
EY6	Breakdown management	Standard
JH3	Communication module (LTE) for digital services	Standard

Safety and technology

B25	Electrical parking brake	Standard
BA3	Active Brake Assist	Standard
BS1	Brake calipers with Mercedes-Benz lettering	Standard
ET4	Active Distance Assist DISTRONIC	Standard
F3Z	Convenience closing	Standard
F48	Heated windscreen washer system	Standard
F65	Exterior mirror, automatically folding	Standard
F69	Ext. mirrors, heated, elec. adj. w. integr. indic.	Standard



FA6	Chrome insert in side skirt	Standard
FS5	Illuminated vanity mirrors for sun visors	Standard
J55	Seat belt reminder for co-driver seat	Standard
JA7	Blind Spot Assist	Standard
JA9	Traffic Sign Assist	Standard
JB4	Active Lane Keeping Assist	Standard
JW8	ATTENTION ASSIST	Standard
L45	MULTIBEAM LED with Highbeam Assist PLUS	Standard
LA2	Headlight assistant	Standard
LC5	Ambient lighting in exterior mirrors	Standard
LC6	Illumin. in rear grab handle with reading light	Standard
LC7	Lighting for footwell, front	Standard
LC8	Ambient lighting, liftgate	Standard
LE1	Adaptive brake light	Standard
LE6	Night lighting, rear	Standard
LG4	LED tail lamps, brake lamps and indicators	Standard
SA3	centre airbag	Standard
SA6	Airbag, co-driver	Standard
SH1	Thorax-pelvis sidebag, driver	Standard
SH2	Thorax-pelvis sidebag, co-driver	Standard
SH8	Windowbags, A-D pillar	Standard
SK5	Automatic co-driver airbag deactivation	Standard
SK6	Child detection in vehicle, passive	Standard
T70	Child safety locks in passenger compartment doors	Standard
Y10	First aid kit	49.00
Y44	Warning triangle	41.00
C6L	Multifunction steering wheel	Standard
CK8	Steering wheel heating	Standard
E07	Hill-Start Assist	Standard
E57	Electrical components for trailer socket	Standard
EIO	Wireless charging system for mobile devices	Standard
ES2	12 V plug socket in trunk / load compartment	Standard
ES3	12 V outlets for rear seat row, right and left	Standard
M50	174 kW (237 hp)	Standard
M72	Vehicle HVO-capable	Standard
MJ8	ECO start/stop function	Standard
YF3	Sports pedals	Standard

Control code

_			
	805	CY X4/1	Standard
	XM7	Facelift II	Standard
*	XX4	Change year G4-II	Standard
	IG5	Basic	Standard
	JX2	Service interval 40.000 km	Standard
	XW9	Control code, changeover WLTP	Standard
	Z01	Steuercode Zertifizierung II	Standard
	XC9	COC papers	Standard
	XM0	Facelift	Standard
	XQ1	VIN encoded vehicle data with check digit	Standard
	XS3	Plates / booklets Romanian	Standard



XZ2	Model generation 2	Standard
Z42	Registration as a passenger car	Standard
055	CY X4/2	Standard
XY5	Model year 5	Standard

The BZM regulations are valid for this vehicle

To use the Mercedes me connect services, you must register on the Mercedes me Portal and also accept the Terms of Use for the Mercedes me connect services. In addition, the relevant vehicle must be paired with the user account. Upon expiry of the initial term, the services can be renewed for a fee. Initial activation of the services is possible within 1 year of first registration or commissioning by the customer, whichever occurs first.

Please note that the scopes may vary according to model series and year of construction or between private and business customer accounts.

Vehicle prices

	Amount in EUR
Baseprice vehicle:	76,648.00
Price paint:	
Price special equipment:	14,776.00
Price additional equipment:	

Vehicle price net (ex factory)



Technical data

Dimensions and weights


Туре	
Drivetrain	AWD
Wheelbase	3430 mm
Weights	
<u>Chassis-/Kerb weight:</u>	
Front axle (empty)	1443 kg
Rear axle (empty)	1199 kg
Kerb weight (incl. SA)	2642 kg
Maximum permissible weight:	
Front axle	1600 kg
Rear axle	1650 kg
Payload:	558 kg
<u>Gross vehicle weight</u>	3200 kg
Gross combination weight	5200 kg
	Kerb weights with driver (75kg) and 90% of tankful.
Engine	MU8
Displacement cm ³	1950
Engine output kW / HP	174 / 237
Power/engine torque	500 Nm bei 2400 U/min
in NM at	
Gearbox	

Gearbox	
Code	G43
Short text	Cutie de viteze automata 9G-TRONIC




Technical Data

Technical illustration




Dimensions are subject to a tolerance of +/- 3 %




Dimensions are subject to a tolerance of +/- 3 %





Dimensions are subject to a tolerance of +/- 3 %



Dimensions are subject to a tolerance of +/- 3 %